2023 EDITION

PCR-4X4 & SUV-LTR TIRES



petlas

Headquarters - Factory
Petlas Tire Industry and Trade
Kındam Mahallesi Ankara - Kayseri Caddesi
No: 2/1 Kırşehir / TÜRKİYE
T: +90 386 252 65 50 • F: +90 386 252 65 70

Int. Sales & Marketing
Petlas Tire Industry and Trade Ako Kule
Söğütözü Mh. 2178. Cd. No: 6
06530 Ankara / TÜRKİYE
T. +90 312 309 30 30 • F: +90 312 309 22 66

Petlas Tire USA
1111 E. Lincolnway STE 205
Cheyenne, WY 82001 USA

www.petlas.com
Made in TÜRKİYE

petlas
TRACK OF TRUST

Passenger Car Tires



PT311
ELEGANT



PT515
IMPERIUM



PT525
PROGREEN



PT535
IMPERIUM
All Weather Tire



PT711
VELOX SPORT



PT741
VELOX SPORT



PT565
MULTI ACTION
All Weather Tire



W661
GLACIER
Winter Tire



SNOWMASTER 2
Winter Tire



SNOWMASTER 2
SPORT
Winter Tire

4X4, SUV Tires



PT411
EXPLERO
A/S
All Weather Tire



PT421
EXPLERO
A/T



PT431
EXPLERO H/T



SUV MASTER
All Weather Tire



W671
EXPLERO
Winter Tire



W681
EXPLERO ICE
Winter Tire

LTR Tires



PT825
FULL POWER



PT825
FULL POWER
Plus



PT835
FULL POWER



PT925
FULL GRIP
All Weather Tire



PT935
FULL GRIP
Winter Tire



VANMASTER
A/S
All Weather Tire

petlas
TRACK OF TRUST


TIRE PROFESSION
MAKE YOUR
Choice
petlas
petlas.com


IALS!
petlas
TRACK OF TRUST

PT311 ELEGANT


SUMMER

Developed for performance and handling for the general use segment. Offers traction and riding comfort combined with durability.



DESIGNED FOR OPTIMAL DRIVING PERFORMANCE





TYRE SIZE	LOAD/SPEED INDEX		TYRE SIZE	LOAD/SPEED INDEX	
155/80 R12	77T		175/70 R14 RF	88T	
155/80 R13	79T		185/70 R14	88T	••
165/80 R13	83T		195/70 R14	91T	••
165/80 R13 RF	87R		195/70 R15 RF	97T	••
175/80 R14	88T		155/65 R13	73T	
165/80 R15	87T		165/65 R13	77T	
145/70 R12	69T		175/65 R13	80T	
155/70 R12	73T		155/65 R14	75T	
165/70 R12	77T		165/65 R14	79T	
175/70 R12	80T		175/65 R14	82T	
145/70 R13	71T		175/65 R14 RF	86T	
155/70 R13	75T		185/65 R14	86T	••
165/70 R13	79T		195/65 R14	89H	••
165/70 R13 RF	83T		175/65 R15	84T	
175/70 R13	82T		185/65 R15	88T	••
185/70 R13	86T	••	195/65 R15	91T	••
165/70 R14	81T		195/65 R15 RF	95T	••
165/70 R14 RF	85R		165/60 R14	75T	
175/70 R14	84T				

RF : REINFORCED
•• : Sizes with two rib design



PT515 IMPERIUM


SUMMER

Designed and produced with latest technology. It offers good mileage and excellent braking performance in both wet and dry conditions.



DESIGNED FOR EXCEPTIONAL GRIP IN WET AND DRY CONDITIONS





TYRE SIZE	LOAD/SPEED INDEX
175/70 R13	82H
175/70 R14	84H
175/70 R14 RF	88H
185/70 R14	88H
175/65 R14	82H
175/65 R14 RF	86T
185/65 R14	86H
175/65 R15	84H
185/65 R15	88H
185/65 R15 RF	92H
195/65 R15	91H
195/65 R15	91V
195/65 R15 RF	95H
205/65 R15	94H
205/65 R15 RF	99H
205/65 R15	94V
215/65 R15	96V
205/65 R16	95H
215/65 R16	98H
215/65 R16	98V
175/60 R13	77H

TYRE SIZE	LOAD/SPEED INDEX
185/60 R14	82H
195/60 R14	86H
205/60 R14	88V
185/60 R15	84H
185/60 R15 RF	88H
195/60 R15	88H
195/60 R15	88V
205/60 R15	91H
205/60 R15	91V
205/60 R16	92H
205/60 R16	92V
205/60 R16 RF	96V
185/55 R15	82V
205/55 R15	88V
195/55 R16	87V
205/55 R16	91H
205/55 R16	91V
215/55 R16	93V
205/50 R15	86W (RP)

RF : REINFORCED
(RP) : RIM PROTECTOR



petlas
TRACK OF TRUST

PT525 PROGREEN


SUMMER

Designed to be more fuel efficient with high mileage performance. Guarantees safety, durability and low rolling resistance.



ECO-FRIENDLY TIRE DESIGNED FOR ULTIMATE TRACTION AND HANDLING





TYRE SIZE	LOAD/SPEED INDEX
175/70 R14	84T
175/70 R14 RF	88T
185/70 R14	88T
175/65 R14	82T
185/65 R14	86T
185/65 R15	88T
185/65 R15	88H
195/65 R15	91H
195/65 R15 RF	95T
195/65 R15	91V
205/65 R15	94H
185/60 R14	82H
185/60 R15	84H

TYRE SIZE	LOAD/SPEED INDEX
185/60 R15 RF	88H
195/60 R15	88H
205/60 R16	92H
205/60 R16	92V
205/60 R16 RF	96V
215/60 R16	95V
185/55 R14	80H (RP)
185/55 R15	82V (RP)
195/55 R15	85H (RP)
195/55 R16	87H (RP)
205/55 R16	91H (RP)
195/50 R15	82H (RP)
195/50 R16 RF	88V (RP)

RF : REINFORCED
(RP) : RIM PROTECTOR



PT535 IMPERIUM

All Weather Tire


M+S SUMMER WINTER

Provides high performance on wet and dry conditions. Offers outstanding driving comfort without compromising high mileage.



MAXIMUM MILEAGE PERFORMANCE





TYRE SIZE	LOAD/SPEED INDEX
175/70 R14	84H (RP)
175/65 R14	82H (RP)
185/65 R14	86H
185/65 R15	88H
185/65 R15 RF	92H
195/65 R15	91H (RP)
195/65 R15 RF	95H (RP)
185/60 R15	84H (RP)
185/60 R15 RF	88H (RP)
195/60 R15	88H (RP)
195/55 R16	87H (RP)
205/55 R16	91H (RP)
195/50 R16	84H (RP)

RF : REINFORCED
(RP) : RIM PROTECTOR



PT711 VELOX SPORT


SUMMER

Designed and developed for ultra-high performance sport cars. Its aggressive pattern design and construction increase handling performance on both wet and dry roads.



FEEL THE TORQUE WITH STYLISH PATTERN DESIGN





TYRE SIZE	LOAD/SPEED INDEX
185/60 R13	80H (RP)

(RP) : RIM PROTECTOR



PT741 VELOX SPORT


SUMMER

Produced for drivers who desire ultimate handling and grip performance without compromising comfort while driving at high speeds.



DESIGNED FOR OUTSTANDING HANDLING AND GRIP PERFORMANCE





TYRE SIZE	LOAD/SPEED INDEX
215/60 R16 RF	99V
225/60 R16	98V
235/60 ZR16	100W
195/55 R15	85V (RP)
185/55 R14 RF	87H (RP)
195/55 R16	87V (RP)
195/55 R16 RFT	87V (RP)
205/55 R16 RFT	91V (RP)
205/55 R16 RF	94W (RP)
215/55 R16 RF	97W (RP)
225/55 R16 RF	99W (RP)
205/55 R17 RF	95W (RP)
215/55 R17 RF	98W (RP)
225/55 R17 RF	101W (RP)
225/55 R17 RFT	97W (RP)
235/55 R17 RF	103W (RP)
235/55 R18 RF	104W (RP)
195/50 R15	82V (RP)
195/50 R16	84V (RP)
205/50 R16 RF	91W (RP)
225/50 R16 RF	96W (RP)
205/50 R17 RF	93W (RP)
205/50 R17 RFT	89W (RP)
215/50 R17 RF	95W (RP)
225/50 R17 RF	98W (RP)
225/50 R17 RFT	94W (RP)
235/50 R18 RF	101W (RP)
245/50 ZR18	100W (RP)
245/50 R18 RFT	100W (RP)
195/45 R16 RF	84V (RP)

TYRE SIZE	LOAD/SPEED INDEX
205/45 R16 RF	87W (RP)
215/45 R16 RF	90V (RP)
205/45 R17 RF	88W (RP)
215/45 R17 RF	91W (RP)
225/45 R17 RF	94W (RP)
225/45 R17 RFT	91W (RP)
235/45 R17 RF	97W (RP)
245/45 R17 RF	99W (RP)
215/45 R18 RF	93W (RP)
225/45 R18 RF	95W (RP)
225/45 R18 RFT	91W (RP)
235/45 R18 RF	98W (RP)
245/45 R18 RF	100W (RP)
245/45 R18 RFT	96W (RP)
255/45 R18 RF	103W (RP) ••
275/45 R18 RF	107W (RP) ••
225/45 R19 RF	96W (RP)
235/45 R19 RF	99W (RP)
245/45 R19 RF	102W (RP)
245/45 R19 RFT	98W (RP)
255/45 R19 RF	104Y (RP) ••
205/40 R16 RF	83W (RP)
215/40 R16 RF	86W (RP)
205/40 R17 RF	84W (RP)
215/40 R17 RF	87W (RP)
235/40 R17 RF	94W (RP)
245/40 R17 RF	95W (RP)
215/40 ZR18 RF	89W (RP)
215/40 R18 RFT	85Y
225/40 R18 RF	92Y (RP)

petlas TRACK OF TRUST

PT741 VELOX SPORT

SUMMER

TYRE SIZE	LOAD/SPEED INDEX	
225/40 R18 RF-**RFT**	92Y (RP)	
235/40 R18 RF	95W (RP)	
245/40 R18 RF	97W (RP)	
245/40 R18 **RFT**	93W (RP)	
255/40 R18	95W (RP)	••
255/40 R18 **RFT**	95Y	••
265/40 R18 RF	101Y (RP)	••
275/40 R18 RF	103Y (RP)	••
275/40 R18 **RFT**	99Y	••
225/40 R19 RF	93W (RP)	
225/40 R19 RF-**RFT**	93Y (RP)	
235/40 R19 RF	96Y (RP)	
245/40 R19 RF	98W (RP)	
245/40 R19 **RFT**	94W (RP)	
255/40 R19 RF	100W(RP)	
265/40 R19 RF	102W(RP)	••
275/40 R19 RF	105Y (RP)	••
275/40 R19 **RFT**	101Y (RP)	••
285/40 R19 RF	107W(RP)	••
245/40 R20 RF	99W (RP)	
245/40 R20 RF-**RFT**	99Y	
255/40 R20 RF	101W (RP)	••
245/35 R17	87W (RP)	
215/35 R18 RF	84W (RP)	
225/35 R18 RF	87W (RP)	
245/35 R18 RF	92W (RP)	
245/35 R18 **RFT**	88Y	
255/35 R18 RF	94Y (RP)	••
255/35 R18 **RFT**	90Y (RP)	••
265/35 R18 RF	97W (RP)	••
275/35 R18 RF	99W (RP)	••
275/35 R18 **RFT**	95Y (RP)	••
285/35 R18 RF	101W(RP)	••
285/35 R18 **RFT**	97Y (RP)	••
295/35 R18	99Y (RP)	••
215/35 R19 RF	85W (RP)	
225/35 R19 RF	88W (RP)	
225/35 R19 **RFT**	88Y	

TYRE SIZE	LOAD/SPEED INDEX	
235/35 R19 RF	91W (RP)	
245/35 R19 RF	93W(RP)	
245/35 R19 RF- **RFT**	93Y (RP)	
255/35 R19 **RFT**	92W(RP)	••
255/35 R19 RF	96W(RP)	••
265/35 R19 RF	98W(RP)	••
275/35 R19 RF	100W(RP)	••
275/35 R19 **RFT**	96W(RP)	••
285/35 R19	99Y (RP)	••
285/35 R19 **RFT**	99Y (RP)	••
295/35 R19 RF	104W(RP)	••
225/35 R20 RF	90Y	
225/35 R20 RF-**RFT**	90Y	
245/35 R20 RF	95W(RP)	
245/35 R20 RF-**RFT**	95Y	
255/35 R20 RF	97W(RP)	••
265/35 R20 RF	99W(RP)	••
275/35 R20 RF	102Y(RP)	••
275/35 R20 RF-**RFT**	102Y(RP)	••
295/35 R20 RF	105W(RP)	••
245/30 R19 RF	89W(RP)	
255/30 R19 RF	91W (RP)	••
255/30 R19 RF-**RFT**	91Y	••
265/30 R19 RF	93W(RP)	••
275/30 R19 RF	96W(RP)	••
275/30 R19 RF-**RFT**	96W	••
285/30 R19 RF	98W(RP)	••
295/30 R19 RF	100W(RP)	••
305/30 R19 RF	102W(RP)	••
245/30 R20 RF	90Y (RP)	
255/30 R20RF	92Y (RP)	••
255/30 R20 RF-**RFT**	92Y	••
265/30 R20 RF	94Y (RP)	••
275/30 R20 RF	97W(RP)	••
275/30 R20 RF-**RFT**	97Y	••
285/30 R20 RF	99W(RP)	••
295/30 R20 RF	101W(RP)	••
305/30 R20 RF	103W(RP)	••

RF : REINFORCED
RFT : RUN FLAT
(RP) : RIM PROTECTOR
•• : Sizes with two rib design



PT565 MULTI ACTION

All Weather Tire


M+S SUMMER WINTER

Designed for all weather and road conditions to be used year round in all seasons. It is developed to provide balanced performance on dry, wet and snow. 3PMSF symbol on sidewall is approved for use on snow.



ULTIMATE PERFORMANCE ON ALL WEATHER CONDITIONS





TYRE SIZE	LOAD/SPEED INDEX	
155/70 R13	75T	
165/70 R13	79T	
175/70 R13	82T	
175/70 R14	84T	(RP)
175/65 R14	82T	
185/65 R14	86T	
175/65 R15	84H	
185/65 R15	88T	
185/65 R15	88H	
195/65 R15	91H	
195/65 R15 RF	95H	
205/65 R15	94H	
215/65 R16 RF	102V	
185/60 R14	82H	
185/60 R15 RF	88H	
195/60 R15	88H	
205/60 R16	96V	
215/60 R16 RF	99V	
185/55 R14	80H	
185/55 R15 RF	86H	
195/55 R15	85H	
195/55 R16	87H	
205/55 R16	91H	
205/55 R16	91V	
205/55 R16 RF	94V	
215/55 R16 RF	97V	
225/55 R16 RF	99W	(RP)
205/55 R17 RF	95W	(RP)
215/55 R17 RF	98W	(RP)
225/55 R17 RF	101W	(RP)

TYRE SIZE	LOAD/SPEED INDEX	
235/55 R17 RF	103W	(RP)
195/55 R20 RF	95H	
195/50 R15	82V	(RP)
195/50 R16 RF	88V	(RP)
205/50 R17 RF	93W	(RP)
215/50 R17 RF	95W	(RP)
225/50 R17 RF	98V	(RP)
195/45 R16 RF	84V	(RP)
215/45 R16 RF	90V	(RP)
205/45 R17 RF	88W	(RP)
215/45 R17 RF	91W	(RP)
225/45 R17 RF	94W	(RP)
235/45 R17 RF	97W	(RP)
245/45 R17 RF	99Y	(RP)
225/45 R18 RF	95W	(RP)
225/45 R18 RF	95Y	(RP)
235/45 R18 RF	98W	(RP)
245/45 R18 RF	100W	(RP)
225/45 R19 RF	96W	(RP)
245/40 R17 RF	95Y	(RP)
225/40 R18 RF	92W	(RP)
235/40 R18 RF	95Y	(RP)
245/40 R18 RF	97Y	
235/40 R19 RF	96Y	(RP)
235/35 R19 RF	91Y	(RP)
245/35 R19 RF	93Y	(RP)
255/35 R19 RF	96Y	(RP)

RF : REINFORCED
(RP) : RIM PROTECTOR

petlas TRACK OF TRUST

M+S WINTER

W661 GLACIER


Winter Tire

Glacier W661 is specifically developed to help drivers keep moving in the harshest winter conditions where the roads are covered with snow and ice. Ensures ultimate safety by providing precise handling and short braking distance on snowy and icy roads. Optimized profile keeps contact with the ground at even the most extreme conditions. The superior performance of W661 is proven on relentless tests in the challenging weather and road conditions of Finland.



MORE THAN MEETS THE ICE





TYRE SIZE	LOAD/SPEED INDEX
175/70 R13	82T
175/65 R14	82T
185/65 R14	86T
185/65 R15	88T
195/65 R15	91T
205/65 R15	94T
185/60 R15 RF	88T
195/60 R15	88T
205/60 R16	92T
205/60 R16 RF	96T
195/55 R16	87T
205/55 R16	91T

TYRE SIZE	LOAD/SPEED INDEX
215/55 R16 RF	97T
215/55 R17 RF	98T
225/55 R17 RF	101T
215/50 R17 RF	95T
225/50 R17 RF	98T
225/45 R17 RF	94T

RF: REINFORCED



SNOWMASTER 2

Winter Tire


M+S WINTER

SnowMaster 2 is a winter tire developed to provide short braking distances, superior traction performance and safety on snowy surfaces at low temperatures.



HIGH PERFORMANCE ON SNOW





TYRE SIZE	LOAD/SPEED INDEX
155/80 R13	79T
165/80 R13	83T
155/70 R13	75T
165/70 R13	79T
175/70 R13	82T
165/70 R14	81T
175/70 R14	84T
175/70 R14 RF	88T
185/70 R14	88T
155/65 R13	73T
155/65 R14	75T
165/65 R14	79T
175/65 R16	86T
175/65 R14	82T
185/65 R14	86T
175/65 R15	84T

RF : REINFORCED
(RP) : RIM PROTECTOR

TYRE SIZE	LOAD/SPEED INDEX	
185/65 R15	88H	
185/65 R15 RF	92H	
195/65 R15	91H	
195/65 R15 RF	95H	
205/65 R15	94H	
205/65 R16	95H	
185/60 R14	82H	
185/60 R15 RF	88H	
195/60 R15	88H	
205/60 R16 RF	96H	
185/55 R15	82H	
195/55 R15	85H	
185/55 R16 RF	87H	
195/55 R16	87H	
205/55 R16	91H	
205/55 R16 RF	91H	
195/50 R15	82H	(RP)
195/50 R16 RF	88H	



petlas
TRACK OF TRUST

M+S WINTER

SNOWMASTER 2 SPORT


Winter Tire

SnowMaster 2 Sport is a high performance winter tire developed to offer short braking distances and superior handling on snowy roads and a comfortable ride on dry roads.



SUPERIOR WET GRIP PERFORMANCE





TYRE SIZE	LOAD/SPEED INDEX
215/65 R16 RF	102H
215/60 R16 RF	99H
235/60 R16	100H
215/55 R16 RF	97H
225/55 R16 RF	99H
205/55 R17	95V
215/55 R17 RF	98V
225/55 R17 RF	101V
235/55 R17 RF	103V
205/50 R17 RF	93V
215/50 R17 RF	95V
225/50 R17 RF	98V
215/50 R18	92V
225/50 R18 RF	99V
245/50 R18 RF	104V
205/45 R17 RF	88V
215/45 R17 RF	91V
225/45 R17 RF	94V
235/45 R17 RF	97V

TYRE SIZE	LOAD/SPEED INDEX
245/45 R17 RF	99V
215/45 R18 RF	93V
225/45 R18 RF	95V
235/45 R18 RF	98V
245/45 R18 RF	100V
235/45 R19 RF	99V
245/45 R19 RF	102V
245/40 R17 RF	95V
225/40 R18 RF	92V
235/40 R18 RF	95V
245/40 R18 RF	97V
255/40 R18 RF	99V
225/40 ZR19 RF	93W
245/40 R19 RF	98V
255/40 R19 RF	100V
255/40 ZR20 RF	101W

RF: REINFORCED



PT411 EXPLERO A/S

All Weather Tire


M+S SUMMER WINTER

High performance 4x4-SUV tire offering reliable performance throughout the year. Shows great traction performance on any kind of road with its special compound mixture. Offers superb comfort by reducing the levels of noise and vibration.



OUTSTANDING DRIVING PERFORMANCE IN ALL WEATHER CONDITIONS





TYRE SIZE	LOAD/SPEED INDEX
235/75 R15	105H
205/70 R15	96H
215/70 R15	98H
215/70 R16	100H
225/70 R16 RF	107T
235/70 R16	106H
245/70 R16	107H
255/70 R16	111T
265/70 R16	112T
215/65 R16	98H
215/65 R16 RF	102H
255/65 R16	109H
215/65 R17	99H
225/65 R17	102H

TYRE SIZE	LOAD/SPEED INDEX
235/65 R17 RF	108H
245/65 R17 RF	111H
255/65 R17	110H
265/65 R17	112H
215/60 R16	95H
235/60 R16	100H
225/60 R17 RF	103H
255/60 R18 RF	112V

RF: REINFORCED



petlas TRACK OF TRUST

PT421 EXPLERO A/T


M+S WINTER

Produced to meet the demands of high performance SUV and 4x4 vehicles. Reliable and long lasting all terrain tire thanks to its special compound. Special tread design improves braking performance and reduces irregular wear.



ALL TERRAIN PATTERN WITH UNIQUE TRACTION CAPABILITY





TYRE SIZE	LOAD/SPEED INDEX	
205/80 R16 RF	104T	RP
215/80 R15	102S	RP
235/75 R15	105T	RP
255/70 R15	108T	RP
265/70 R15 RF	116T	RP
235/70 R16	106T	RP
245/70 R16 RF	111T	RP

TYRE SIZE	LOAD/SPEED INDEX	
215/65 R16	98T	RP
265/65 R17 RF	116S	RP
255/60 R18 RF	112H	RP
265/60 R18 RF	114T	RP

RF : REINFORCED
RP : RIM PROTECTOR



PT431 EXPLERO H/T

SUMMER


Summer tire developed for luxury SUVs. It combines quality and high performance with its specially developed tread design and compound. Block array maximizes grip performance in every driving condition. Offers short braking distance on wet roads.



••

DESIGNED FOR ULTIMATE DRIVING COMFORT





TYRE SIZE	LOAD/SPEED INDEX		TYRE SIZE	LOAD/SPEED INDEX	
225/65 R17	102H	••	255/55 R19 RF	111V	••
235/65 R17 RF	108V	••	275/55 R19	111V	••
215/60 R17	96V		255/55 ZR20 RF	110Y	••
235/60 R17	102V	••	235/50 R18 RF	101V	••
255/60 R17	106V	••	235/50 ZR19 RF	103W	••
225/60 R18	100H	••	255/50 R19 RF	107V	••
235/60 R18 RF	107V	••	255/50 ZR19 RF-**RFT**	107W	••
245/60 R18	105H	••	265/50 ZR19 RF	110W	••
255/60 R18 RF	112V	••	255/50 ZR20 RF	109Y	••
265/60 R18	110H	••	275/45 ZR19 RF	108W	••
265/60 R18	110V	••	285/45 R19	107V	••
225/55 R17	97V	••	255/45 ZR20 RF	105Y	••
235/55 R17 RF	103V	••	275/45 ZR20 RF	110W	••
215/55 R18	95H		285/45 ZR20 RF	112Y	••
225/55 R18	98V	••	275/45 ZR21 RF	110Y	••
235/55 R18	100V	••	275/40 ZR20	102W	••
255/55 R18 RF	109V	••	275/40 R20 RF-**RFT**	106Y	••
225/55 R19	99H	••	295/35 ZR21 RF	107Y	••
235/55 R19 RF	105V	••	75/40 R22 RF	108Y	
245/55 R19	103H	••			

RF : REINFORCED
RFT : RUN FLAT
•• : Sizes with two rib design



petlas
TRACK OF TRUST

SUVMASTER A/S

All Weather Tire


M+S SUMMER WINTER

All weather tire for a wide range of weather and road conditions. The V-shaped channels offer effective discharge of water, mud and snow. Delivers excellent driving and cornering capabilities and assures safety on both ice and snow thanks to its unique pattern design and special compound. 3PMSF and M+S markings on the tire prove better grip and braking on snowy roads.



ULTIMATE PERFORMANCE ON ALL WEATHER CONDITIONS





TYRE SIZE	LOAD/SPEED INDEX
215/65 R17 RF	103V (RP)
235/65 R17 RF	108W (RP)
215/60 R17 RF	100V (RP)
225/60 R18 RF	104W (RP)
235/60 R18 RF	107W
215/55 R18 RF	99V (RP)
225/55 R18 RF	102V (RP)
235/55 R18 RF	104V (RP)
255/55 R18 RF	109W (RP)
235/55 R19 RF	105W (RP)
215/50 R18	92W (RP)
235/50 R18 RF	101W (RP)
235/45 R19 RF	99W (RP)
245/45 R19 RF	102W (RP)

RF : REINFORCED
(RP) : RIM PROTECTOR



W671 EXPLERO

Winter Tire

M+S WINTER


Designed for high traction and grip performance on snowy and icy roads. Provides stability on dry roads with special compound. Unique pattern design enables ultimate handling and cornering performance. Reduces stopping distance on slippery roads.



••

CONFIDENT TRACTION AND BRAKE PERFORMANCE ON SEVERE WINTER CONDITIONS





TYRE SIZE	LOAD/SPEED INDEX
215/80 R15	102S
205/80 R16 RF	104T
235/75 R15 RF	109T
205/70 R15	96T
215/70 R15	98H
215/70 R16 RF	104H
225/70 R16 RF	107H
235/70 R16	106T
245/70 R16 RF	111T
255/70 R16	111T
265/70 R16	112T
215/65 R17	99H
225/65 R17 RF	106h
235/65 R17 RF	108V
245/65 R17 RF	111H
255/65 R17 RF	114H
265/65 R17 RF	116H
215/60 R17 RF	100H
225/60 R17 RF	103V
235/60 R17 RF	106H
255/60 R17 RF	110V
225/60 R18 RF	104V
235/60 R18 RF	107H
245/60 R18 RF	105H
255/60 R18 RF	112H
265/60 R18 RF	114H (RP)
235/55 R17 RF	103V (RP)
215/55 R18	95H (RP)
225/55 R18 RF	102H (RP)

TYRE SIZE	LOAD/SPEED INDEX
235/55 R18 RF	104H (RP)
255/55 R18 RF	109V (RP)
255/55 R18 RF-RFT	109H (RP)
205/55 R19 RF	97H (RP)
225/55 R19	99H (RP)
235/55 R19 RF	105V (RP)
245/55 R19	103H (RP)
255/55 R19 RF	111V (RP)
275/55 R19	111H (RP) ••
235/50 R18 RF	101V (RP)
235/50 R19 RF	103V (RP)
255/50 R19 RF	107V (RP)
255/50 R19 RF-RFT	107V (RP)
245/50 R20	102V (RP)
265/50 R20 RF	111H (RP)
225/45 R19 RF	96V (RP)
285/45 R19 RF	111H (RP) ••
275/45 R20 RF	110V (RP) ••
275/40 R20 RF	106V (RP) ••
275/40 R20 RF-RFT	106V (RP) ••
315/35 R20 RF	110V (RP) ••
315/35 R20 RF-RFT	110V (RP) ••

RF : REINFORCED
RFT : RUN FLAT
(RP) : RIM PROTECTOR
•• : Sizes with two rib design

petlas TRACK OF TRUST

W681 EXPLERO ICE

Winter Tire


M+S WINTER

W681 Explero Ice is specifically developed to endure the most extreme road and weather conditions. Guarantees perfection in safety by providing precise handling and short braking distance even when the road is blanketed with snow or ice. Optimized tread profile and carefully engineered compound mixture ensures continuous contact with the ground at even the most extreme climates. The outstanding performance is affirmed on relentless testing conditions of Finland.



EXTREME PERFORMANCE FOR EXTREME CHALLENGES





TYRE SIZE	LOAD/SPEED INDEX
245/70 R16 RF	111T
215/65 R16 RF	102T
215/60 R17 RF	100T

RF : REINFORCED



PT825 FULL POWER


SUMMER

Designed for commercial light trucks, transporters and vans. Deep treads and straight ribs provide excellent handling in any kind of weather condition. Enhances cornering safety and thanks to its wear resistant special compound, offers durability.



DESIGNED TO DELIVER OPTIMAL PERFORMANCE AND DURABILITY





TYRE SIZE		PR	LOAD/SPEED INDEX
195	**R15 C**	8PR	106/104R



PT825 FULL POWER Plus


SUMMER

Radial summer tire designed with high technology. Offers high grip performance and wear resistance thanks to its special tread compound.



OUTSTANDING GRIP PERFORMANCE IN WET AND DRY CONDITIONS





TYRE SIZE		PR	LOAD/SPEED INDEX
5.00	R12 C	8PR	83/81P
155	R12 C	8PR	88/86N
155	R13 C	8PR	90/89R
185	R14 C	8PR	102/100R
195	R14 C	8PR	106/104R
205	R14 C	8PR	109/107P
215	R14 C	8PR	112/110P
185	R15 C	8PR	103/102R
175/75	R16 C	8PR	101/99R
185/75	R16 C	8PR	104/102R
195/75	R16 C	8PR	107/105R
205/75	R16 C	8PR	110/108R
205/75	R16 C	10PR	113/111R
215/75	R16 C	8PR	113/111R

TYRE SIZE		PR	LOAD/SPEED INDEX
215/75	R16 C	10PR	116/114R
225/75	R14 C	6PR	118/116R
165/70	R14 C	6PR	89/87R
195/70	R15 C	8PR	104/102R
205/70	R15 C	8PR	106/104R
215/70	R15 C	8PR	109/107S
225/70	R15 C	8PR	112/110R
225/70	R15 C	10PR	116/114R
205/65	R15 C	8PR	102/100T
205/65	R16 C	8PR	107/105T
215/65	R16 C	8PR	109/107R
225/65	R16 C	8PR	112/110R
235/65	R16 C	8PR	115/113R
235/65	R16 C	12PR	121/119R



PT835 FULL POWER

SUMMER


Safe handling in all kind of situations, even under heavy loads. Wide contact area increases stability and enhances driving performance. Offers excellent mileage, rolling resistance and safety in wet roads.



••

LONG LASTING PERFORMANCE, WITH ULTIMATE WET GRIP AND HANDLING CAPABILITY





TYRE SIZE	PR	LOAD/SPEED INDEX	
205/75 R16 C	8PR	110/108R	
215/75 R16 C	8PR	113/11R	
215/75 R16 C	10PR	116/114R	
225/70 R15 C	8PR	112/110R	
215/65 R15 C	6PR	104/102T	
195/65 R16 C	8PR	104/102T	
205/65 R16 C	8PR	107/105T	
215/65 R16 C	8PR	109/107R	
235/65 R16 C	8PR	115/113R	
235/65 R16 C	12PR	121/119R	
285/65 R16 C	10PR	128N	••
195/60 R16 C	6PR	99/97T	

•• : Sizes with two rib design



petlas
TRACK OF TRUST

PT925 FULL GRIP

All Weather Tire


M+S SUMMER WINTER

Designed for all weather performance. Offers excellent traction in difficult conditions thanks to its V shaped special tread pattern design.



EXCELLENT GRIP CAPABILITY WITH LONG LASTING PERFORMANCE





TYRE SIZE		PR	LOAD/SPEED INDEX
155	**R12 C**	8PR	88/86N
155	**R13 C**	8PR	90/89N
185	**R14 C**	8PR	102/100R
195	**R14 C**	8PR	106/104R
175/75	**R16 C**	8PR	101/99R
185/75	**R16 C**	8PR	104/102R
195/75	**R16 C**	8PR	107/105R
205/75	**R16 C**	8PR	110/108R
215/75	**R16 C**	8PR	113/111R
225/75	**R16 C**	8PR	118/116R
225/75	**R16 C**	10PR	118/116R

TYRE SIZE		PR	LOAD/SPEED INDEX
195/70	**R15 C**	8PR	104/102R
205/70	**R15 C**	8PR	106/104R
215/70	**R15 C**	8PR	109/107R
225/70	**R15 C**	8PR	112/110R
205/65	**R15 C**	8PR	102/100T
205/65	**R16 C**	8PR	107/105T
215/65	**R16 C**	8PR	109/107R
225/65	**R16 C**	8PR	112/110R
235/65	**R16 C**	8PR	115/113R
195/60	**R16 C**	6PR	99/97T



PT935 FULL GRIP

Winter Tire

M+S WINTER


Unique tread design with wavy sipes enables high grip performance on icy roads. Offers safety and durability.



••

EXCEPTIONAL TRACTION AND BRAKE PERFORMANCE IN HARSH WINTER CONDITIONS





TYRE SIZE		PR	LOAD/SPEED INDEX
155	R12 C	8PR	88/86N
155	R13 C	8PR	90/89N
185	R14 C	8PR	102/100R
195	R14 C	8PR	106/104R
185/75	R16 C	8PR	104/102R
195/75	R16 C	8PR	107/105R
205/75	R16 C	10PR	113/111R
215/75	R16 C	10PR	116/114R
225/75	R16 C	8PR	118/116R
195/70	R15 C	8PR	104/102R
205/70	R15 C	8PR	106/104R
215/70	R15 C	8PR	109/107R

TYRE SIZE		PR	LOAD/SPEED INDEX	
225/70	R15 C	8PR	112/110R	
215/65	R15 C	6PR	104/102T	
195/65	R16 C	8PR	104/102T	
205/65	R16 C	8PR	107/105T	
215/65	R16 C	8PR	109/107R	
225/65	R16 C	8PR	112/110R	
235/65	R16 C	8PR	115/113R	
235/65	R16 C	12PR	121/119R	
285/65	R16 C	10PR	128N	
195/60	R16 C	6PR	99/97T	••

•• : Sizes with two rib design



petlas
TRACK OF TRUST

VANMASTER A/S

M+S SUMMER/WINTER


All Weather Tire

All season light commercial vehicle tire developed for use in all weather and road conditions approved for use on snow.



IN ALL WEATHER AND ROAD CONDITIONS





TYRE SIZE	PR	LOAD/SPEED INDEX
155 R12 C	8PR	88/86N
155 R13 C	8PR	90/89R
185 R14 C	8PR	102/100 R
195 R14 C	8PR	106/104R
185/75 R16 C	8PR	104/102 R
195/75 R16 C	8PR	107/105R
205/75 R16 C	10PR	113/111R
215/75 R16 C	10PR	116/114R
225/75 R16 C	10PR	118/116R
195/70 R15 C	8PR	104/102 R

TYRE SIZE	PR	LOAD/SPEED INDEX
215/70 R15 C	8PR	109/107S
225/70 R15 C	10PR	116/114R
205/65 R16 C	8PR	107/105T
215/65 R15 C	6PR	104/102T
215/65 R16 C	8PR	109/107R
225/65 R16 C	8PR	112/110R
235/65 R16 C	12PR	121/119R
195/60 R16 C	6PR	99/97T
215/60 R17 C	8PR	109/107T
285/65 R16 C	R16 C	131R



NOTES

petlas
TRACK OF TRUST

NOTES

Petlas PCR - 4x4 & SUV-LTR Tires are characterized by quality workmanship, leading edge technology, unique tread designs and excellent performance offering perfect mix of quality and value.

Our success depends on exceeding the expectations of our customers and standing behind everything we do.

Our aim is to build long term relationships with our customers by providing excellent service, quality and delivering promises.

Premium Quality PCR, 4X4 & SUV - LTR Tires

NOTICES & DISCLAIMER

* For load capacity and inflation pressure figures on different speed rates, please consult the producer company.

** Load capacity on standard speed and standard load.

Our company is entitled to change any information in this brochure without prior notice.

This brochure overrides any previous catalogues

All figures are for reference; our company cannot be deemed responsible for printing errors.

*** The visual content of the brochure is only representative. To find the compatible tire for your car, please refer to the car service or authorized dealer.