



**PASSENGER CAR
& SUV-4X4
& LIGHT TRUCK
RADIAL**



TIRES

petlas
TRACK OF TRUST

www.petlas.com
www.petlastires.com
Made in TÜRKİYE

Headquarters - Factory

Petlas Tire Industry and Trade
Kındam Mahallesi Ankara - Kayseri Caddesi
No: 2/1 Kırşehir / TÜRKİYE
T: +90 386 252 65 50 - F: +90 386 252 65 70

Int. Sales & Marketing

Petlas Tire Industry and Trade Ako Kule
Söğütözü Mh. 2178. Cd. No: 6
06530 Ankara/TÜRKİYE
T: +90 312 309 30 30 - F: +90 312 309 22 66

Petlas Tire USA

1111 E. Lincolnway STE 205
Cheyenne, WY 82001 USA

RANGE OF PETLAS PCR-4x4, SUV-LTR TIRES

PASSENGER CAR TIRES



PT311
ELEGANT



PT515
IMPERIUM



PT525
PROGREEN



PT525
PROGREEN



PRESTIGE
SPORT



PT741
VELOX SPORT



PRIME
COMFORT



PT565
MULTI ACTION

All Weather Tire



W661
GLACIER

Winter Tire



SNOWMASTER 2

Winter Tire



SNOWMASTER 2
SPORT

Winter Tire

4X4, SUV TIRES



PT411
EXPLERO A/S

All Weather Tire



PT421
EXPLERO A/T



PT431
EXPLERO H/T



SUVMASTER A/S

All Weather Tire



W671
EXPLERO

Winter Tire



W681
EXPLERO ICE

Winter Tire



PEAKLANDER M/T

All Weather Tire



PEAKLANDER A/T

All Weather Tire

LTR TIRES



PT825
FULL POWER



PT825
FULL POWER
Plus



PT835
FULL POWER



PT925
FULL GRIP

All Weather Tire



PT935
FULL GRIP

Winter Tire



VANMASTER A/S +

All Weather Tire




PT311 ELEGANT

Developed for performance and handling for the general use segment. Offers traction and riding comfort combined with durability.



DESIGNED FOR OPTIMAL DRIVING PERFORMANCE



TYRE SIZE LOAD/SPEED INDEX

155/80 R12	77T
155/80 R13	79T
165/80 R13	83T
175/80 R14	88T
165/80 R15	87T
145/70 R12	69T
155/70 R12	73T
165/70 R12	77T
175/70 R12	80T
145/70 R13	71T
155/70 R13	75T
165/70 R13	79T
165/70 R13 RF	83T
175/70 R13	82T
185/70 R13	86T
165/70 R14	81T
165/70 R14 RF	85R
175/70 R14	84T

TYRE SIZE LOAD/SPEED INDEX

175/70 R14 RF	88T
185/70 R14	88T
195/70 R14	91T
195/70 R15 RF	97T
155/65 R13	73T
165/65 R13	77T
175/65 R13	80T
155/65 R14	75T
165/65 R14	79T
175/65 R14	82T
175/65 R14 RF	86T
185/65 R14	86T
195/65 R14	89H
175/65 R15	84T
185/65 R15	88T
195/65 R15	91T
165/60 R14	75T

RF : REINFORCED

.. : Sizes with two rib design






PT515 IMPERIUM

Designed and produced with latest technology. It offers good mileage and excellent braking performance in both wet and dry conditions.



DESIGNED FOR EXCEPTIONAL GRIP IN WET AND DRY CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX
175/70 R13	82H
175/70 R14	84H
185/70 R14	88H
175/65 R14	82H
185/65 R14	86H
175/65 R15	84H
185/65 R15	88H
185/65 R15 RF	92H
195/65 R15	91H
195/65 R15	91V
195/65 R15 RF	95H
205/65 R15	94H
205/65 R15 RF	99H
215/65 R15	96V
205/65 R16	95H
215/65 R16	98H
175/60 R13	77H
185/60 R14	82H

TYRE SIZE	LOAD/SPEED INDEX
195/60 R14	86H
205/60 R14	88V
185/60 R15	84H
185/60 R15 RF	88H
195/60 R15	88V
195/60 R15 RF	92H
205/60 R15	91V
205/60 R16	92V
205/60 R16 RF	96V
185/55 R15	82V
205/55 R15	88V
195/55 R16	87V
205/55 R16	91H
205/55 R16	91V
215/55 R16	93V ^(RP)
205/50 R15	86V

RF : REINFORCED
^(RP) : RIM PROTECTOR




PT525 PROGREEN



Designed to be more fuel efficient with high mileage performance. Guarantees safety, durability and low rolling resistance.



ECO-FRIENDLY TIRE DESIGNED FOR ULTIMATE TRACTION AND HANDLING



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
175/65 R14	82T	205/60 R16 RF	96V
185/65 R14	86T	215/60 R16	95V
185/65 R15	88H	185/55 R14	80H ^{RP}
195/65 R15	91H	185/55 R15	82V ^{RP}
195/65 R15	91V	195/55 R15	85H ^{RP}
205/65 R15	94H	195/55 R16	87H ^{RP}
185/60 R14	82H	205/55 R16	91H ^{RP}
185/60 R15	84H	195/50 R15	82H ^{RP}
185/60 R15 RF	88H	195/50 R16 RF	88V ^{RP}
195/60 R15	88H		
205/60 R16	92H		

RF : REINFORCED
RP : RIM PROTECTOR






PRESTIGE SPORT

Developed with advanced material technologies and engineering expertise, Prestige Sport is an ultra high performance tire built to deliver top-level grip, durability, and control even in demanding conditions. Its innovative structure enhances steering response and ensures confident performance on both dry and wet surfaces, at any speed.



DRIVE THE MARK OF DISTINCTION



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
225/65 R17	102H (RP)	235/45 ZR17 XL	97W (RP)
225/60 R18	100H (RP)	245/45 ZR17 XL	99W (RP)
215/55 ZR17 XL	98W (RP)	215/45 ZR18 XL	93Y (RP)
225/55 ZR17	97W (RP)	225/45 ZR18 XL	95Y (RP)
225/55 ZR17 XL	101W (RP)	235/45 ZR18 XL	98Y (RP)
235/55 ZR17 XL	103W (RP)	245/45 ZR18 XL	100Y (RP)
215/55 R18 XL	99V (RP)	255/45 ZR18 XL	103Y (RP)
225/55 ZR18 XL	102Y (RP)	225/45 ZR19 XL	96Y (RP)
235/55 ZR18 XL	104W (RP)	235/45 ZR19 XL	99W (RP)
225/55 R19	99V (RP)	245/45 ZR19 XL	102Y (RP)
225/55 R19 XL	103W (RP)	255/45 ZR19 XL	104Y (RP)
235/55 ZR19 XL	105Y (RP)	235/45 ZR20 XL	100W (RP)
205/50 ZR17 XL	93W (RP)	245/45 ZR20 XL	103Y (RP)
215/50 ZR17 XL	95W (RP)	265/45 ZR20 XL	108Y (RP)
225/50 ZR17 XL	98W (RP)	275/45 ZR20 XL	110Y (RP)
235/50 R17	96H (RP)	295/45 ZR20 XL	114Y (RP)
235/50 R17 XL	100H (RP)	275/45 ZR21 XL	110Y (RP)
215/50 ZR18	92W (RP)	215/40 ZR17 XL	87W (RP)
225/50 ZR18 XL	99W (RP)	245/40 ZR17 XL	95W (RP)
235/50 ZR18 XL	101Y (RP)	215/40 ZR18 XL	89W (RP)
245/50 ZR18	100W (RP)	225/40 ZR18 XL	92Y (RP)
245/50 ZR18 XL	104Y (RP)	235/40 ZR18 XL	95Y (RP)
235/50 R19	99H (RP)	245/40 R18 XL	97Y (RP)
205/45 ZR17 XL	88W (RP)	255/40 ZR18 XL	99Y (RP)
215/45 ZR17 XL	91W (RP)	275/40 ZR18 XL	103Y (RP)
225/45 ZR17	91W (RP)	225/40 ZR19 XL	93Y (RP)
225/45 ZR17 XL	94Y (RP)	235/40 R19 XL	96Y (RP)
225/45 ZR17 XL	94Y (RP)	245/40 ZR19 XL	98Y (RP)



PRESTIGE SPORT

TYRE SIZE	LOAD/SPEED INDEX		TYRE SIZE	LOAD/SPEED INDEX
255/40 ZR19 XL	100Y	ⓇⓅ	225/35 ZR20 XL	90Y ⓇⓅ
275/40 ZR19 XL	105Y	ⓇⓅ	245/35 ZR20 XL	95Y ⓇⓅ
245/40 ZR20 XL	99Y	ⓇⓅ	255/35 ZR20 XL	97Y ⓇⓅ
255/40 ZR20 XL	101Y	ⓇⓅ	265/35 ZR20 XL	99Y ⓇⓅ
265/40 ZR20 XL	104Y	ⓇⓅ	275/35 ZR20 XL	102Y ⓇⓅ
275/40 ZR20 XL	106Y	ⓇⓅ	285/35 ZR20 XL	104Y ⓇⓅ
265/40 ZR21 XL	105Y	ⓇⓅ	295/35 ZR20 XL	105Y ⓇⓅ
275/40 ZR21 XL	107Y	ⓇⓅ	315/35 ZR20 XL	110Y ⓇⓅ
285/40 ZR21 XL	109Y	ⓇⓅ	265/35 ZR21 XL	101Y ⓇⓅ
295/40 ZR21 XL	111Y	ⓇⓅ	275/35 ZR21 XL	103Y ⓇⓅ
265/40 ZR22 XL	106Y	ⓇⓅ	295/35 ZR21 XL	107Y ⓇⓅ
275/40 ZR22 XL	108Y	ⓇⓅ	315/35 ZR21 XL	111Y ⓇⓅ
285/40 ZR22 XL	110Y	ⓇⓅ	255/30 ZR19 XL	91Y ⓇⓅ
245/35 ZR18 XL	92Y	ⓇⓅ	265/30 ZR19 XL	93Y ⓇⓅ
255/35 ZR18 XL	94Y	ⓇⓅ	275/30 ZR19 XL	96Y ⓇⓅ
265/35 ZR18 XL	97Y	ⓇⓅ	245/30 ZR20 XL	90Y ⓇⓅ
225/35 ZR19 XL	88Y	ⓇⓅ	255/30 ZR20 XL	92Y ⓇⓅ
235/35 ZR19 XL	91Y	ⓇⓅ	265/30 ZR20 XL	94Y ⓇⓅ
245/35 ZR19 XL	93Y	ⓇⓅ	275/30 ZR20 XL	97Y ⓇⓅ
255/35 ZR19 XL	96Y	ⓇⓅ	285/30 ZR20 XL	99Y ⓇⓅ
265/35 ZR19 XL	98Y	ⓇⓅ	295/30 ZR20 XL	101Y ⓇⓅ
275/35 ZR19 XL	100Y	ⓇⓅ	315/30 ZR21 XL	105Y ⓇⓅ
225/35 ZR20 XL	90Y	ⓇⓅ		

XL : EXTRA LOAD

ⓇⓅ : RIM PROTECTOR






PT741 VELOX SPORT

Produced for drivers who desire ultimate handling and grip performance without compromising comfort while driving at high speeds.



DESIGNED FOR OUTSTANDING HANDLING AND GRIP PERFORMANCE



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
215/60 R16 RF	99V	205/45 R16 RF	87W ^{RP}
225/60 R16	98V	215/45 R16 RF	90V ^{RP}
235/60 R16	100W	205/45 R17 RF	88W ^{RP}
195/55 R15	85V ^{RP}	215/45 R17 RF	91W ^{RP}
185/55 R16 RF	87H ^{RP}	225/45 R17 RF	94W ^{RP}
195/55 R16	87V ^{RP}	225/45 R17 RFT	91W ^{RP}
195/55 R16 RFT	87V ^{RP}	235/45 R17 RF	97W ^{RP}
205/55 R16 RFT	91V ^{RP}	245/45 R17 RF	99W ^{RP}
205/55 R16 RF	94W ^{RP}	215/45 R18 RF	93W ^{RP}
215/55 R16 RF	97W ^{RP}	225/45 R18 RF	95W ^{RP}
225/55 R16 RF	99W ^{RP}	225/45 R18 RFT	91W ^{RP}
205/55 R17 RF	95W ^{RP}	235/45 R18 RF	98W ^{RP}
215/55 R17 RF	98W ^{RP}	245/45 R18 RF	100W ^{RP}
225/55 R17 RF	101W ^{RP}	245/45 R18 RFT	96W ^{RP}
225/55 R17 RFT	97W ^{RP}	255/45 R18 RF	103W ^{RP} ..
235/55 R17 RF	103W ^{RP}	275/45 R18 RF	107W ^{RP} ..
235/55 R18 RF	104W ^{RP}	225/45 R19 RF	96W ^{RP}
195/50 R15	82V ^{RP}	235/45 R19 RF	99W ^{RP}
195/50 R16	84V ^{RP}	245/45 R19 RF	102W ^{RP}
205/50 R16 RF	91W ^{RP}	245/45 R19 RFT	98W ^{RP}
225/50 R16 RF	96W ^{RP}	255/45 R19 RF	104Y ^{RP} ..
205/50 R17 RF	93W ^{RP}	205/40 R16 RF	83W ^{RP}
205/50 R17 RFT	89W ^{RP}	215/40 R16 RF	86W ^{RP}
215/50 R17 RF	95W ^{RP}	205/40 R17 RF	84W ^{RP}
225/50 R17 RF	98W ^{RP}	215/40 R17 RF	87W ^{RP}
225/50 R17 RFT	94W ^{RP}	235/40 R17 RF	94W ^{RP}
235/50 R18 RF	101W ^{RP}	245/40 R17 RF	95W ^{RP}
245/50 R18	100W ^{RP}	215/40 R18 RF	89W ^{RP}
245/50 R18 RFT	100W ^{RP}	215/40 R18 RF-RFT	85Y
195/45 R16 RF	84V ^{RP}	225/40 R18 RF	92Y ^{RP}



PT741 VELOX SPORT

TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
225/40 R18 RF-RFT	92Y (RP)	235/35 R19 RF	91W (RP)
235/40 R18 RF	95W (RP)	245/35 R19 RF	93W (RP)
245/40 R18 RF	97W (RP)	245/35 R19 RF-RFT	93Y (RP)
245/40 R18 RFT	93W (RP)	255/35 R19 RFT	92W (RP) ..
255/40 R18	95W (RP) ..	255/35 R19 RF	96W (RP) ..
255/40 R18 RFT	95Y ..	265/35 R19 RF	98W (RP) ..
265/40 R18 RF	101Y (RP) ..	275/35 R19 RF	100W (RP) ..
275/40 R18 RF	103Y (RP) ..	275/35 R19 RFT	96W (RP) ..
275/40 R18 RF-RFT	99Y ..	285/35 R19	99Y (RP) ..
225/40 R19 RF	93W (RP)	285/35 R19 RF-RFT	99Y (RP) ..
225/40 R19 RF-RFT	93Y (RP)	295/35 R19 RF	104W (RP) ..
235/40 R19 RF	96Y (RP)	225/35 R20 RF	90Y
245/40 R19 RF	98W (RP)	225/35 R20 RF-RFT	90Y
245/40 R19 RFT	94W (RP)	245/35 R20 RF	95W (RP)
255/40 R19 RF	100W (RP)	245/35 R20 RF-RFT	95Y
265/40 R19 RF	102W (RP) ..	255/35 R20 RF	97W (RP) ..
275/40 R19 RF	105Y (RP) ..	265/35 R20 RF	99W (RP) ..
275/40 R19 RFT	101Y (RP) ..	275/35 R20 RF	102Y (RP) ..
285/40 R19 RF	107W (RP) ..	275/35 R20 RF-RFT	102Y (RP) ..
245/40 R20 RF	99W (RP)	295/35 R20 RF	105W (RP) ..
245/40 R20 RF-RFT	99Y	245/30 R19 RF	89W (RP)
255/40 R20 RF	101W (RP) ..	255/30 R19 RF	91W (RP) ..
245/35 R17	87W (RP)	255/30 R19 RF-RFT	91Y ..
215/35 R18 RF	84W (RP)	265/30 R19 RF	93W (RP) ..
225/35 R18 RF	87W (RP)	275/30 R19 RF	96W (RP) ..
245/35 R18 RF	92W (RP)	275/30 R19 RF-RFT	96W ..
245/35 R18 RFT	88Y	285/30 R19 RF	98W (RP) ..
255/35 R18 RF	94Y (RP) ..	295/30 R19 RF	100W (RP) ..
255/35 R18 RFT	90Y (RP) ..	305/30 R19 RF	102W (RP) ..
265/35 R18 RF	97W (RP) ..	245/30 R20 RF	90Y (RP)
275/35 R18 RF	99W (RP) ..	255/30 R20RF	92Y (RP) ..
275/35 R18 RFT	95Y (RP) ..	255/30 R20 RF-RFT	92Y ..
285/35 R18 RF	101W (RP) ..	265/30 R20 RF	94Y (RP) ..
285/35 R18 RFT	97Y (RP) ..	275/30 R20 RF	97W (RP) ..
295/35 R18	99Y (RP) ..	275/30 R20 RF-RFT	97Y ..
215/35 R19 RF	85W (RP)	285/30 R20 RF	99W (RP) ..
225/35 R19 RF	88W (RP)	295/30 R20 RF	101W (RP) ..
225/35 R19 RF-RFT	88Y	305/30 R20 RF	103W (RP) ..

RF : REINFORCED

RFT : RUN FLAT

(RP) : RIM PROTECTOR

.. : Sizes with two rib design






PRIME COMFORT

Prime Comfort is a next-generation summer tire developed by Petlas for A, B, and C segment passenger cars and crossover vehicles. With its asymmetric tread design, it delivers high levels of control, comfort, and safety on both dry and wet road surfaces.



NEXT GENERATION SUMMER TIRE



TYRE SIZE	R	INDEX	TYRE SIZE	R	XL	INDEX
165/80	R13	83T	205/60	R16	XL	96W
165/80	R15	87T	215/60	R16	XL	99V
175/70	R13	82H	235/60	R16		100W
195/70	R15	XL 97T	215/60	R17	XL	100V
175/65	R14	82H	195/60	R18	XL	96H
175/65	R14	XL 86H	185/55	R15		82V
175/65	R15	84H	195/55	R15		85V
185/65	R15	88H	205/55	R15		88V
185/65	R15	XL 92T	185/55	R16	XL	87V
195/65	R15	91V	195/55	R16		87H
195/65	R15	XL 95H	195/55	R16	XL	91V
205/65	R15	94V	205/55	R16		91V
205/65	R16	95H	205/55	R16	XL	94W
215/65	R16	98H	205/55	R17	XL	95W (RP)
215/65	R16	XL 102V	195/50	R15	-	82V (RP)
175/60	R15	81H (RP)	195/50	R16	XL	88V (RP)
185/60	R15	84H	205/50	R16	XL	91W (RP)
185/60	R15	XL 88H	195/45	R16	XL	84V (RP)
195/60	R15	88V	205/45	R16	XL	87W (RP)
205/60	R15	91V	215/45	R16	XL	90V

(RP) : RIM PROTECTOR






PT565 MULTI ACTION

All Weather Tire

Designed for all weather and road conditions to be used year round in all seasons. It is developed to provide balanced performance on dry, wet and snow. 3PMSF symbol on sidewall is approved for use on snow.



ULTIMATE PERFORMANCE ON ALL WEATHER CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
155/70 R13	75T	225/55 R17 RF	101W (RP)
165/70 R13	79T	235/55 ZR17 RF	103W
175/70 R13	82T	195/55 R20 RF	95H (RP)
175/70 R14	84T (RP)	195/50 R15	82V (RP)
175/65 R14	82T	195/50 R16 RF	88V (RP)
185/65 R14	86T	205/50 R17 RF	93W (RP)
175/65 R15	84H	215/50 R17 RF	95W (RP)
185/65 R15	88T	225/50 R17 RF	98V (RP)
185/65 R15	88H	195/45 R16 RF	84V (RP)
185/65 R15	92H	215/45 R16 RF	90V (RP)
195/65 R15	91H	205/45 R17 RF	88W (RP)
195/65 R15 RF	95H	215/45 ZR17 RF	91W (RP)
205/65 R15	94H	225/45 R17 RF	94W (RP)
205/65 R16	95H	235/45 R17 RF	97W (RP)
215/65 R16 RF	102V	245/45 R17 RF	99Y (RP)
185/60 R14	82H	225/45 R18 RF	95W (RP)
185/60 R15 RF	88H	225/45 ZR18 RF	95Y (RP)
195/60 R15	88H	235/45 R18 RF	98W (RP)
205/60 R16	96V	245/45 R18 RF	100W (RP)
215/60 R16 RF	99V	225/45 R19 RF	96W (RP)
185/55 R14	80H	245/40 ZR17 RF	95Y (RP)
185/55 R15 RF	86H	225/40 R18 RF	92W (RP)
195/55 R15	85H	235/40 ZR18 RF	95Y
195/55 R16	87H (RP)	245/40 R18 RF	97Y (RP)
205/55 R16	91V (RP)	235/40 ZR19 RF	96Y (RP)
215/55 R16 RF	97V (RP)	235/35 ZR19 RF	91Y (RP)
225/55 R16 RF	99W (RP)	245/35 R19 RF	93Y (RP)
205/55 R17 RF	95W (RP)	255/35 R19 RF	96Y
215/55 R17 RF	98W		

RF : REINFORCED
 (RP) : RIM PROTECTOR

W661 GLACIER


Winter Tire



Glacier W661 is specifically developed to help drivers keep moving in the harshest winter conditions where the roads are covered with snow and ice. Ensures ultimate safety by providing precise handling and short braking distance on snowy and icy roads. Optimized profile keeps contact with the ground at even the most extreme conditions. The superior performance of W661 is proven on relentless tests in the challenging weather and road conditions of Finland.



MORE THAN MEETS THE ICE



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
175/70 R13	82T	205/60 R16 RF	96T
175/65 R14	82T	195/55 R16	87T
185/65 R14	86T	205/55 R16	91T
185/65 R15	88T	215/55 R16 RF	97T
195/65 R15	91T	215/55 R17 RF	98T
205/65 R15	94T	225/55 R17 RF	101T
185/60 R15 RF	88T	215/50 R17 RF	95T
195/60 R15	88T	225/50 R17 RF	98T
205/60 R16	92T	225/45 R17 RF	94T

RF: REINFORCED



SNOWMASTER 2




Winter Tire

SnowMaster 2 is a winter tire developed to provide short braking distances, superior traction performance and safety on snowy surfaces at low temperatures.



HIGH PERFORMANCE ON SNOW



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
155/80 R13	79T	195/65 R15 RF	95H
165/80 R13	83T	205/65 R15	94H
155/70 R13	75T	205/65 R16	95H
165/70 R13	79T	185/60 R14	82H
175/70 R13	82T	185/60 R15 RF	88H
165/70 R14	81T	195/60 R15	88H
175/70 R14	84T	205/60 R16	96H
175/70 R14 RF	88T	205/60 R16 RF-RFT	96H
185/70 R14	88T	185/55 R14	80H
155/65 R13	73T	185/55 R15	82H
155/65 R14	75T	195/55 R15	85H
165/65 R14	79T	185/55 R16 RF	87H
175/65 R14	82T	195/55 R16	87H
175/65 R14 RF	86T	205/55 R16	91H
185/65 R14	86T	205/55 R16 RFT	91H
175/65 R15	84T	195/50 R15	82H ^(RP)
185/65 R15	88H	195/50 R16 RF	88H ^(RP)
185/65 R15 RF	92H		
195/65 R15	91H		

RF : REINFORCED
 RFT : RUN FLAT
^(RP) : RIM PROTECTOR






SNOWMASTER 2 SPORT

Winter Tire

SnowMaster 2 Sport is a high performance winter tire developed to offer short braking distances and superior handling on snowy roads and a comfortable ride on dry roads.



HIGH PERFORMANCE ON SNOW



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
215/65 R16	RF 102H	225/50 RF17 P-RFT	RF 98V (RP)
215/65 R17	RF 103V	225/50 R17 P-RFT	RF 98V (RP)
215/60 R16	RF 99H	215/50 R18	- 92V (RP)
235/60 R16	- 100H (RP)	225/50 R18	RF 99V (RP)
215/60 R17	RF 100V	225/50 RF18 P-RFT	RF 99V (RP)
225/60 R17	RF 103V	225/50 R18 P-RFT	RF 99V (RP)
195/60 R18	RF 96H	235/50 R18	RF 101V (RP)
215/60 R18	- 98H	245/50 R18	RF 104V (RP)
225/60 R18	RF 104V (RP)	235/50 R19	RF 103V (RP)
215/55 R16	RF 97H	255/50 R20	RF 109V (RP)
225/55 R16	RF 99H (RP)	205/45 R17	RF 88V (RP)
205/55 R17	RF 95V	215/45 R17	RF 91V (RP)
215/55 R17	RF 98V (RP)	225/45 R17	RF 94V (RP)
225/55 R17	RF 101V (RP)	225/45 RF17 P-RFT	RF 94V (RP)
225/55 RF17 P-RFT	RF 101V (RP)	225/45 R17 P-RFT	RF 94V (RP)
225/55 R17 P-RFT	RF 101V (RP)	235/45 R17	RF 97V (RP)
235/55 R17	RF 103V (RP)	245/45 R17	RF 99V (RP)
215/55 R18	RF 99V	215/45 R18	RF 93V (RP)
225/55 R18	RF 102V (RP)	225/45 R18	RF 95V (RP)
235/55 R18	RF 104V (RP)	225/45 RF18 P-RFT	RF 95V (RP)
205/55 R19	RF 97H (RP)	225/45 R18 P-RFT	RF 95V (RP)
205/55 R19	RF 97V (RP)	235/45 R18	RF 98V (RP)
235/55 R19	RF 105V (RP)	245/45 R18	RF 100V (RP)
255/55 R20	RF 110V (RP)	245/45 RF18 P-RFT	RF 100V (RP)
205/50 R17	RF 93V (RP)	245/45 R18 P-RFT	RF 100V (RP)
215/50 R17	RF 95V (RP)	225/45 R19	RF 96V (RP)
225/50 R17	RF 98V (RP)	235/45 R19	RF 99V (RP)

SNOWMASTER 2 SPORT

TYRE SIZE		LOAD/SPEED INDEX
245/45 R19	RF	102V (RP)
245/45 RF19 P-RFT	RF	102V (RP)
245/45 R19 P-RFT	RF	102V (RP)
255/45 R19	RF	104V (RP)
215/45 R20	RF	95H (RP)
235/45 ZR20	RF	100W (RP)
245/45 R20	RF	103V (RP)
255/45 R20	RF	105V (RP)
275/45 R20	RF	110V (RP)
275/45 R21	RF	110V (RP)
245/40 R17	RF	95V (RP)
225/40 R18	RF	92V (RP)
225/40 R18 P-RFT	RF	92V (RP)
235/40 R18	RF	95V (RP)
245/40 R18	RF	97V (RP)
255/40 R18	RF	99V (RP)
255/40 RF18 P-RFT	RF	99V (RP)
255/40 R18 P-RFT	RF	99V (RP)
275/40 R18	RF	103V (RP)
225/40 ZR19	RF	93W (RP)
225/40 RF19 P-RFT	RF	93W (RP)
225/40 R19 P-RFT	RF	93W (RP)
235/40 R19	RF	96V (RP)
245/40 R19	RF	98V (RP)
255/40 R19	RF	100V (RP)
245/40 ZR20	RF	99W (RP)
255/40 ZR20	RF	101W (RP)
285/40 R20	RF	108V (RP)
265/40 R21	RF	105V (RP)
235/35 ZR19	RF	91W (RP)
255/35 R19	RF	96V (RP)
275/35 R19	RF	100V (RP)
245/35 ZR20	RF	95W (RP)
255/35 ZR20	RF	97W (RP)
275/35 ZR20	RF	102Y (RP)
285/35 ZR20	RF	104Y (RP)



4X4, SUV TIRES

PT411 EXPLERO A/S


All Weather Tire



High performance 4x4-SUV tire offering reliable performance throughout the year. Shows great traction performance on any kind of road with its special compound mixture. Offers superb comfort by reducing the levels of noise and vibration.



OUTSTANDING DRIVING PERFORMANCE IN ALL WEATHER CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX
235/75 R15	105H
205/70 R15	96H
215/70 R15	98H
215/70 R16	100H
225/70 R16 RF	107T
235/70 R16	106H
245/70 R16	107H
255/70 R16	111T
265/70 R16	112T
265/70 R18	116H
215/65 R16	98H
215/65 R16 RF	102H
255/65 R16	109H
215/65 R17	99H

TYRE SIZE	LOAD/SPEED INDEX
225/65 R17	102H
235/65 R17 RF	108H
245/65 R17 RF	111H
255/65 R17	110H
265/65 R17	112H
215/60 R16	95H
235/60 R16	100H
225/60 R17 RF	103H
255/60 R18 RF	112V
275/60 R20	115H
285/60 R18	116V
285/50 R20	112V

RF: REINFORCED






M+S SUMMER

PT421 EXPLERO A/T

Produced to meet the demands of high performance SUV and 4x4 vehicles. Reliable and long lasting all terrain tire thanks to its special compound. Special tread design improves braking performance and reduces irregular wear.



ALL TERRAIN PATTERN WITH UNIQUE TRACTION CAPABILITY



TYRE SIZE	LOAD/SPEED INDEX
205/80 R16 RF	104T ^{RP}
215/80 R15	102S ^{RP}
235/75 R15	105T ^{RP}
255/70 R15	108T ^{RP}
265/70 R15 RF	116T ^{RP}
235/70 R16	106T ^{RP}

TYRE SIZE	LOAD/SPEED INDEX
245/70 R16 RF	111T ^{RP}
215/65 R16	98T ^{RP}
265/65 R17 RF	116S ^{RP}
255/60 R18 RF	112H ^{RP}
265/60 R18 RF	114T ^{RP}

RF : REINFORCED
^{RP} : RIM PROTECTOR



4X4, SUV TIRES




PT431 EXPLERO H/T

Summer tire developed for luxury SUVs. It combines quality and high performance with its specially developed tread design and compound. Block array maximizes grip performance in every driving condition. Offers short braking distance on wet roads.



DESIGNED FOR ULTIMATE DRIVING COMFORT



TYRE SIZE	LOAD/SPEED INDEX
225/65 R17	102H (RP)
235/65 R17 RF	108V
215/60 R17	96V (RP)
235/60 R17	102V (RP)
255/60 R17	106V (RP) ..
225/60 R18	100H (RP)
235/60 R18 RF	107V (RP)
245/60 R18	105H (RP)
255/60 R18 RF	112V (RP) ..
265/60 R18	110H (RP) ..
265/60 R18	110V (RP) ..
225/55 R17	97V (RP)
235/55 R17 RF	103V (RP)
215/55 R18	95H (RP)
225/55 R18	98V (RP)
235/55 R18	100V (RP)
255/55 R18 RF	109V (RP) ..
225/55 R19	99H (RP)
235/55 R19 RF	105V (RP)
245/55 R19	103H (RP)
255/55 R19 RF	111V (RP) ..
275/55 R19	111V (RP) ..
255/55 R20 RF	110Y (RP) ..
235/50 R18 RF	101V (RP)

TYRE SIZE	LOAD/SPEED INDEX
235/50 R19 RF	103W (RP)
255/50 R19 RF	107V (RP) ..
255/50 R19 RF-RFT	107W (RP) ..
265/50 R19 RF	110W (RP) ..
255/50 R20 RF	109Y (RP) ..
275/45 R19 RF	108W (RP) ..
285/45 R19	107V (RP) ..
255/45 R20 RF	105Y (RP) ..
275/45 R20 RF	110W (RP) ..
285/45 R20 RF	112Y (RP) ..
275/45 R21 RF	110Y (RP) ..
275/40 R20	102W (RP) ..
275/40 R20 RF-RFT	106Y (RP) ..
275/40 R22 RF	108Y (RP) ..
315/35 R20 RF	110W (RP) ..
315/35 R20 RF-RFT	110W (RP) ..
265/35 R21 RF	101Y (RP) ..
295/35 R21 RF	107Y (RP) ..

RF : REINFORCED
 RFT: RUN FLAT
 .. : Sizes with two rib design
 (RP) : RIM PROTECTOR



SUVMASTER A/S




All Weather Tire

All weather tire for a wide range of weather and road conditions. The V-shaped channels offer effective discharge of water, mud and snow. Delivers excellent driving and cornering capabilities and assures safety on both ice and snow thanks to its unique pattern design and special compound. 3PMSF and M+S markings on the tire prove better grip and braking on snowy roads.



ULTIMATE PERFORMANCE ON ALL WEATHER CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX
215/65 R17 RF	103V ^{RP}
235/65 R17 RF	108W ^{RP}
215/60 R17 RF	100V ^{RP}
225/60 R18 RF	104W ^{RP}
235/60 R18 RF	107W ^{RP}
215/55 R18 RF	99V ^{RP}
225/55 R18 RF	102V ^{RP}
235/55 R18 RF	104V ^{RP}
255/55 R18 RF	109W ^{RP}
235/55 R19 RF	105W ^{RP}
215/50 R18	92W ^{RP}
235/50 R18 RF	101W ^{RP}
235/45 R19 RF	99W ^{RP}
245/45 R19 RF	102W ^{RP}

RF : REINFORCED
^{RP} : RIM PROTECTOR



4X4, SUV TIRES




W671 EXPLERO

Winter Tire

Designed for high traction and grip performance on snowy and icy roads. Provides stability on dry roads with special compound. Unique pattern design enables ultimate handling and cornering performance. Reduces stopping distance on slippery roads.



CONFIDENT TRACTION AND BRAKE PERFORMANCE ON SEVERE WINTER CONDITIONS



TYRE SIZE LOAD/SPEED INDEX

215/80 R15	102S
205/80 R16 RF	104T
235/75 R15 RF	109T
205/70 R15	96T
215/70 R15	98H
215/70 R16 RF	104H
225/70 R16 RF	107H
235/70 R16	106T
245/70 R16 RF	111T
255/70 R16	111T
265/70 R16	112T
215/65 R17	99H
225/65 R17 RF	106H
235/65 R17 RF	108V
245/65 R17 RF	111H
255/65 R17 RF	114H
265/65 R17 RF	116H
215/60 R17 RF	100H
225/60 R17 RF	103V
235/60 R17 RF	106H
255/60 R17 RF	110V
225/60 R18 RF	104V
235/60 R18 RF	107H
245/60 R18 RF	105H
255/60 R18 RF	112H
265/60 R18 RF	114H (RP)
235/55 R17 RF	103V (RP)
215/55 R18	95H (RP)
225/55 R18 RF	102H (RP)

TYRE SIZE LOAD/SPEED INDEX

235/55 R18 RF	104H (RP)
255/55 R18 RF	109V (RP)
255/55 R18 RF-RFT	109H
205/55 R19 RF	97H (RP)
225/55 R19	99H (RP)
235/55 R19 RF	105V (RP)
245/55 R19	103H (RP)
255/55 R19 RF	111V (RP)
275/55 R19	111H (RP) ..
235/50 R18 RF	101V (RP)
235/50 R19 RF	103V (RP)
255/50 R19 RF	107V (RP)
255/50 R19 RF-RFT	107V (RP)
245/50 R20	102V (RP)
265/50 R20 RF	111H (RP)
225/45 R19 RF	96V (RP)
285/45 R19 RF	111H (RP) ..
275/45 R20 RF	110V (RP) ..
275/40 R20 RF	106V (RP) ..
275/40 R20 RF-RFT	106V ..
315/35 R20 RF	110V (RP) ..
315/35 R20 RF-RFT	110V ..

RF : REINFORCED

RFT : RUN FLAT

(RP) : RIM PROTECTOR

.. : Sizes with two rib design




W681 EXPLERO ICE

Winter Tire

W681 Explero Ice is specifically developed to endure the most extreme road and weather conditions. Guarantees perfection in safety by providing precise handling and short braking distance even when the road is blanketed with snow or ice. Optimized tread profile and carefully engineered compound mixture ensures continuous contact with the ground at even the most extreme climates. The outstanding performance is affirmed on relentless testing conditions of Finland.



EXTREME PERFORMANCE FOR EXTREME CHALLENGES



TYRE SIZE	LOAD/SPEED INDEX
245/70 R16 RF	111T
255/70 R16	11T
265/70 R16	112T
215/65 R16 RF	102T
215/60 R17 RF	100T
265/60 R18 RF	114T ^(RP)

RF : REINFORCED
^(RP) : RIM PROTECTOR



4X4, SUV TIRES

PEAKLANDER M/T



All Weather Tire

Engineered to deliver unmatched traction, longevity, and resilience, the PEAKLANDER M/T is set to transform the off-road driving experience for enthusiasts worldwide.



EXCELLENCE IN TRACTION
DURABILITY AND PERFORMANCE



TYRE SIZE	PR	LOAD/SPEED INDEX	TYRE SIZE	PR	LOAD/SPEED INDEX
31X10.50 R15LT	6PR	109Q	LT265/75 R16	10PR	123/120Q
33X12.50 R15LT	6PR	108Q	LT285/75 R16	6PR	116/113Q
35X12.50 R15LT	6PR	113Q	LT315/75 R16	8PR	121Q
35X12.50 R17LT	10PR	121Q	LT245/75 R17	10PR	121/118Q
35X12.50 R18LT	8PR	118Q	LT245/70 R16	8PR	113/110Q
35X12.50 R18LT	10PR	123Q	LT265/70 R17	10PR	121/118Q
35X12.50 R20LT	10PR	121Q	LT285/70 R17	10PR	121/118Q
LT245/75 R16	8PR	114Q	LT265/60 R18	10PR	119/116Q
LT245/75 R16	10PR	120/116Q			
LT265/75 R16	6PR	112/109Q			

UNDER DEVELOPMENT
35x12.50 R16LT



PEAKLANDER A/T




All Weather Tire

Peaklander A/T is an all-terrain tire designed to deliver exceptional performance both on asphalt and off-road. Engineered for durability, safety, and comfort, it offers balanced handling across various terrains, including snow, thanks to its advanced construction and snow certification (3PMS).



BUILT FOR EVERY ROAD, READY FOR EVERY CHALLENGES



TYRE SIZE	PR	LOAD/SPEED INDEX
215/75 R15	6PR	100/97S
235/75 R15	6PR	104/101Q
31x10.50 R15LT	6PR	109S
LT245/75 R16	10PR	120/116S
LT265/75 R16	8PR	119/116R
LT265/75 R16	10PR	123/120R
LT285/75 R16	6PR	116/113R
LT245/70 R16	8PR	113/110S
LT265/70 R16	10PR	121/118S
LT265/70 R17	10PR	121/118S
215/65 R16	8PR	103/100S
LT245/65 R17	8PR	111/108S
LT265/65 R17	10PR	120/117S
LT265/60 R18	10PR	119/116S






PT825 FULL POWER

Designed for commercial light trucks, transporters and vans. Deep treads and straight ribs provide excellent handling in any kind of weather condition. Enhances cornering safety and thanks to its wear resistant special compound, offers durability.



DESIGNED TO DELIVER OPTIMAL PERFORMANCE AND DURABILITY



TYRE SIZE	PR	LOAD/SPEED INDEX
195 R15 C	8PR	106/104R






PT825 PLUS FULL POWER

Radial summer tire designed with high technology. Offers high grip performance and wear resistance thanks to its special tread compound.



OUTSTANDING GRIP PERFORMANCE IN WET AND DRY CONDITIONS



TYRE SIZE	PR	LOAD/SPEED INDEX	TYRE SIZE	PR	LOAD/SPEED INDEX
5.00 R12C	8PR	83/81P	215/75 R16 C	10PR	116/114R
155 R12 C	8PR	88/86N	225/75 R16 C	10PR	118/116R
155 R13 C	8PR	90/89R	165/70 R14 C	6PR	89/87R
185 R14 C	8PR	102/100R	195/70 R15 C	8PR	104/102R
195 R14 C	8PR	106/104R	205/70 R15 C	8PR	106/104R
205 R14 C	8PR	109/107P	215/70 R15 C	8PR	109/107S
215 R14 C	8PR	112/110P	225/70 R15 C	8PR	112/110R
185 R15 C	8PR	103/102R	225/70 R15 C	10PR	116/114R
175/75 R16 C	8PR	101/99R	205/65 R15 C	8PR	102/100T
185/75 R16 C	8PR	104/102R	205/65 R16 C	8PR	107/105T
195/75 R16 C	8PR	107/105R	215/65 R16 C	8PR	109/107R
205/75 R16 C	8PR	110/108R	225/65 R16 C	8PR	112/110R
205/75 R16 C	8PR	113/111R	235/65 R16 C	8PR	115/113R
215/75 R16 C	8PR	113/111R	235/65 R16 C	12PR	121/119R



LIGHT TRUCK TIRES




PT835 FULL POWER

Safe handling in all kind of situations, even under heavy loads. Wide contact area increases stability and enhances driving performance. Offers excellent mileage, rolling resistance and safety in wet roads.



LONG LASTING PERFORMANCE, WITH ULTIMATE WET GRIP AND HANDLING CAPABILITY



TYRE SIZE	PR	LOAD/SPEED INDEX
205/75 R16 C	8PR	110/108R
215/75 R16 C	8PR	113/11R
215/75 R16 C	10PR	116/114R
225/70 R15 C	8PR	112/110R
215/65 R15 C	6PR	104/102T
195/65 R16 C	8PR	104/102T
205/65 R16 C	8PR	107/105T
215/65 R16 C	8PR	109/107R
235/65 R16 C	8PR	115/113R
235/65 R16 C	12PR	121/119R
285/65 R16 C	10PR	128N ..
195/60 R16 C	6PR	99/97T

.. : Sizes with two rib design




PT925 FULL GRIP

All Weather Tire

Designed for all weather performance. Offers excellent traction in difficult conditions thanks to its V shaped special tread pattern design.



EXCELLENT GRIP CAPABILITY WITH LONG LASTING PERFORMANCE



TYRE SIZE	PR	LOAD/SPEED INDEX	TYRE SIZE	PR	LOAD/SPEED INDEX
155	R12 C	8PR 88/86N	195/70	R15 C	8PR 104/102R
155	R13 C	8PR 90/89N	205/70	R15 C	8PR 106/104R
185	R14 C	8PR 102/100R	215/70	R15 C	8PR 109/107R
195	R14 C	8PR 106/104R	225/70	R15 C	8PR 112/110R
175/75	R16 C	8PR 101/99R	205/65	R15 C	8PR 102/100T
185/75	R16 C	8PR 104/102R	205/65	R16 C	8PR 107/105T
195/75	R16 C	8PR 107/105R	215/65	R16 C	8PR 109/107R
205/75	R16 C	8PR 110/108R	225/65	R16 C	8PR 112/110R
215/75	R16 C	8PR 113/111R	235/65	R16 C	8PR 115/113R
225/75	R16 C	10PR 118/116R	195/60	R16 C	6PR 99/97T



LIGHT TRUCK TIRES




PT935 FULL GRIP

Winter Tire

Unique tread design with wavy sipes enables high grip performance on icy roads. Offers safety and durability.



EXCEPTIONAL TRACTION AND BRAKE PERFORMANCE IN HARSH WINTER CONDITIONS



TYRE SIZE	PR	LOAD/SPEED INDEX	TYRE SIZE	PR	LOAD/SPEED INDEX
155	R12 C 8PR	88/86N	215/70	R15 C 8PR	109/107R
155	R13 C 8PR	90/89N	225/70	R15 C 8PR	112/110R
185	R14 C 8PR	102/100R	205/65	R15 C 8PR	102/100T
195	R14 C 8PR	106/104R	215/65	R15 C 6PR	104/102T
185/75	R16 C 8PR	104/102R	195/65	R16 C 8PR	104/102T
195/75	R16 C 8PR	107/105R	205/65	R16 C 8PR	107/105T
205/75	R16 C 10PR	113/111R	215/65	R16 C 8PR	109/107R
215/75	R16 C 10PR	116/114R	225/65	R16 C 8PR	112/110R
225/75	R16 C 10PR	118/116R	235/65	R16 C 8PR	115/113R
195/70	R15 C 8PR	104/102R	235/65	R16 C 12PR	121/119R
205/70	R15 C 8PR	106/104R	285/65	R16 C 10PR	128N ..
			195/60	R16 C 6PR	99/97T

.. : Sizes with two rib design



VANMASTER A/S+



All Weather Tire

All season light commercial vehicle tire developed for use in all weather and road conditions approved for use on snow.



IN ALL WEATHER AND ROAD CONDITIONS



EU LABEL
Average values from all sizes of this specific model.

FUEL EFFICIENCY	WET GRIP	NOISE LEVELS
A	A	71-72 ABC
B	B	
C	C	
D	D	
E	E	

Note: The image shows 'C-D' for Fuel Efficiency and 'A' for Wet Grip.

TYRE SIZE	PR	LOAD/SPEED INDEX	TYRE SIZE	PR	LOAD/SPEED INDEX
155	R12 C	8PR 88/86N	215/70	R15 C	8PR 109/107S
155	R13 C	8PR 90/89R	225/70	R15 C	10PR 116/114R
185	R14 C	8PR 102/100R	215/65	R15 C	8PR 104/102T
195	R14 C	8PR 106/104R	205/65	R16 C	6PR 107/105T
185/75	R16 C	8PR 104/102R	215/65	R16 C	8PR 109/107T
195/75	R16 C	8PR 107/105R	225/65	R16 C	8PR 112/110R
205/75	R16 C	10PR 113/111R	235/65	R16 C	12PR 121/119R
215/75	R16 C	10PR 116/114R	285/65	R16 C	12PR 131R
225/75	R16 C	10PR 118/116R	195/60	R16 C	6PR 99/97T
195/70	R15 C	8PR 104/102R	215/60	R17 C	8PR 109/107T
205/70	R15 C	8PR 106/104R			





DESCRIPTION

* For load capacity and inflating pressure figures on different speed rates, please consult the producer company.

** Load capacity on standard speed and standard load.

Our company is entitled to change any information in this brochure without prior notice. This brochure overrides any previous documents.

All figures are for reference and our company cannot be deemed responsible for printing errors.

** The visual content of this brochure is only representative. To find the compatible tire for your vehicle, please refer to the vehicle service or authorized tire dealer.